

# Wiring Channels

## And Trunking

OL8300 channels with 3 pin 5 amp aperture configuration alternatively staggered at 1000mm centers in the sides of the wiring channel (6 per channel) are supplied ex-stock.

OL2200 channels with 20mm diameter knockouts at 152mm centers both sides, are supplied ex-stock.

Apertures for an extensive range of service outlets are punched in the sides or covers of single service wiring channels. Aperture centers can be specified.

### Olistrut®

## OL1000

Pre-Galvanized Finish



## OL2000

Pre-Galvanized Finish



## OL3300

Pre-Galvanized Finish



## OL4000

Pre-Galvanized Finish



### Olistrut® Covers

## OL1184PG



## OL1184PVC

Grey / White



WIRING CHANNELS

PRODUCT RANGE	OL1000	OL2000	OL3300	OL4000	OL1184	OL2200	OL2184
WIDTH (mm)	41.3	41.3	41.3	41.3	-	50.8	-
HEIGHT (mm)	41.3	41.3	20.6	20.6	-	50.8	-
LENGTH (mm)	6000	5000	5000	5000	3000/2500	3000	3000
THICKNESS (mm)	2.5	1.0/1.6	2.5	1.6	0.5	0.8	0.8
STANDARD FINISHES	PG or HDG	PG	PG or HDG	PG	PG or PVC	PG	PG

## Channels and Covers Channels

### OL2200

Pre-Galvanized Finish



### OL8300

Pre-Galvanized Finish  
Standard: 6x knockouts



### OL9000

Pre-Galvanized Finish

# O-line

## Wiring Channels

### And Trunking



### OL8000

Pre-Galvanized Finish



### OL8200

Pre-Galvanized Finish

## Covers

### OL9184PG

Pre-Galvanized Finish



### OL9184PVC

Grey / White

### OL2184



DESCRIPTION	OL9000	OL9184	OL8000	OL8200	OL8300	OL8184
WIDTH (mm)	127	-	76.2	76.2	76.2	-
HEIGHT (mm)	76.2	-	76.2	50.8	63.5	-
LENGTH (mm)	3000	3000	3000	3000	3000	3000
THICKNESS (mm)	0.8	0.6	0.8	0.8	0.8	0.6
STANDARD FINISHES	PG	PG or PVC	PG	PG	PG	PG or PVC

WIRING CHANNELS



# Wiring Channels

And Trunking


# WCA

## Standard Accessories

Pre-Galvanized Finish

OL1000/2000/3300/4000/  
9000/8000/8300/8200/2200

Available for all channels



Horizontal Elbow



Internal Splice



External Elbow



End Cap



Internal Elbow



4 Way



Tee

## CHANNEL SUPPORT SYSTEMS

Flange Hanger  
Electro-Galvanized  
Finish

OLF01/10  
OLF01/12



Purlin Hanger  
Pre-Galvanized Finish

OLPH01/10  
OLPH01/12



Swivel Hanger  
Electro-Galvanized  
Finish

OLSH01/12



**Wiring Channels**

And Trunking

Only available for OL9000/OL8000/  
OL8300/OL8200

**WCA**

**Radiused  
Accessories**


Pre-Galvanized Finish



Distribution  
Outlet



Radiused  
External  
Elbow



Radiused  
Horizontal  
Elbow



Radiused  
Internal  
Elbow



Radiused Tee

**CHANNEL SUPPORT SYSTEMS**



20mm Brass  
Fluorescent Adaptor



20mm Fluorescent  
Nylon Adaptor



Channel  
Hanger

<b>PRODUCT RANGE</b>	<b>CHANNEL HANGER OL2335</b>	<b>OL2200</b>	<b>OL8335</b>	<b>OL9335</b>
<b>SUITABLE FOR USE WITH</b>	OL1000, OL2000 OL3300, OL4000	OL2200	OL8000 SERIES	OL9000
<b>HOLE SIZE</b>	11 mm			
<b>FINISH</b>	All Pre-Galvanized			